Safety data sheet according to 1907/2006/EC, Article 31

Version number 2202 (replaces version 2201)

Printing date 20.07.2022

Revision: 20.07.2022

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
. 1.1 Product identifier	
. Trade name:	FW - PRINT FLUID (Water-Wash / Beige Opak - Grey - White)
	he substance or mixture and uses advised against
. Life cycle stages	IS Use at industrial Sites
, ,	PW Widespread use by professional workers
. Sector of Use	SU7 Printing and reproduction of recorded media
. Product category	PC32 Polymer preparations and compounds PROC13 Treatment of articles by dipping and pouring
. Process category . Environmental release category	ERC2 Formulation into mixture
	ERC6c Use of monomer in polymerisation processes at industrial site (inclusion or not
	into/onto article)
. Article category	AC0 Other
. Technical function . Application of the substance / the	Resins (prepolymers
mixture	Acrylic resin
	-
. 1.3 Details of the supplier of the . Manufacturer/Supplier:	Free Wild Technology GmbH
· manalactaren eupphen.	Via Puren , 11
	39019 Tirolo (BZ)
	office@freewild.com
	office@freewild.com
. Further information obtainable	Industrial Safety Department
from:	Industrial Safety Department Medizinische Notfallauskunft bei Vergiftungen:
. 1.4 Emergency telephone	
number:	Giftinformationszentrum Mainz - 24h -
	Tel.: +49 (0) 6131 19240
SECTION 2: Hazards identified	cation
. 2.1 Classification of the substan	
. Classification according to Regulat	
Acute Tox. 4 H302 Harmful i	f swallowed.
Acute Tox. 4 H312 Harmful i	n contact with skin.
Skin Irrit. 2 H315 Causes s	skin irritation.
Eye Irrit. 2 H319 Causes s	serious eye irritation.
Skin Sens. 1 H317 May caus	
SKILLSELS. I HJT/ May caus	se an allergic skin reaction.
5	•
Aquatic Chronic 3 H412 Harmful t	se an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful t . 2.2 Label elements . Labelling according to Regulation	se an allergic skin reaction. to aquatic life with long lasting effects.
Aquatic Chronic 3 H412 Harmful t • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008	se an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful t . 2.2 Label elements . Labelling according to Regulation	se an allergic skin reaction. to aquatic life with long lasting effects.
Aquatic Chronic 3 H412 Harmful t • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008	se an allergic skin reaction. to aquatic life with long lasting effects.
Aquatic Chronic 3 H412 Harmful t • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008	The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms	The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation. GHS07 Warning
Aquatic Chronic 3 H412 Harmful t . 2.2 Label elements . Labelling according to Regulation (EC) No 1272/2008 . Hazard pictograms . Signal word . Hazard-determining components of	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation. GHS07 Warning
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation. GHS07 Warning of hexamethylene diacrylate
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling:	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation. GHS07 Warning of hexamethylene diacrylate Photoinitiator
Aquatic Chronic 3 H412 Harmful t . 2.2 Label elements . Labelling according to Regulation (EC) No 1272/2008 . Hazard pictograms . Signal word . Hazard-determining components of	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation. GHS07 Warning of hexamethylene diacrylate Photoinitiator H302+H312 Harmful if swallowed or in contact with skin.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling:	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation. GHS07 Warning of hexamethylene diacrylate Photoinitiator
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling:	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling:	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	 se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation. GHS07 Warning of hexamethylene diacrylate Photoinitiator H302+H312 Harmful if swallowed or in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Waar protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P312 P10 P305+P351+P338 P10 P501 Dispose of contents/container in accordance with local/regional/
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.
Aquatic Chronic 3 H412 Harmful t 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements Precautionary statements	se an allergic skin reaction. to aquatic life with long lasting effects. The product is classified and labelled according to the GB CLP regulation.

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2202 (replaces version 2201)

Revision: 20.07.2022

Trade name: FW - PRINT FLUID (Water-Wash / Beige Opak - Grey - White)

(Contd. of page 1)

Printing date 20.07.2022

. **2.3 Other hazards** . Results of PBT and vPvB assessment . PBT: No . vPvB: No

Not applicable. Not applicable.

Dangaraus company			
. Dangerous compone		amor 9	10 05
ŀ	Acrylated mono	nmer 3 H315; Eye Irrit. 2, H319	10 – 25
	Acrylated oligor	mer 2	10 - 259
		H315; Eye Irrit. 2, H319	- 10 20
	Acrylated oligor		10 - 25
		H315; Eye Irrit. 2, H319	-
	Acrylated mono		10 – 259
·		H315; Eye Irrit. 2, H319	
	Acrylated monc	omer 1	10 – 25
	😲 Skin Irrit. 2,	H315; Eye Irrit. 2, H319	
	Acrylated oligor	mer 1	2.5 – 10
040,40040.00.4	V Skin Irrit. 2, I	H315; Eye Irrit. 2, H319	0.5 40
CAS: 13048-33-4 EINECS: 235-921-9	hexamethylene	te 1, H400; Aquatic Chronic 2, H411; () Skin Irrit. 2, H315; Eye Irrit. 2, H319;	2.5 – 10
	Skin Sens. 1, H	1317	0.5%
CAS: 947-19-3 EINECS: 213-426-9	Photoinitiator	1 4217	< 2.5%
. Additional information		For the wording of the listed hazard phrases refer to section 16.	
	1.	י טי נווס אטיטווא טי נווב וושנבע וומבמוע אוומשבש ובובו נט שבטנטוו דט.	
SECTION 4: First	aid magaura		
. After skin contact:		In case of unconsciousness place patient stably in side position for transportat Use a respiratory bag or breathing device. Immediately wash with water and soap and rinse thoroughly.	.011.
 After eye contact: After swallowing: 4.2 Most important and effects, both ac delayed 4.3 Indication of any medical attention ai 	symptoms cute and y immediate	If skin irritation continues, consult a doctor. Rinse opened eye for several minutes under running water. If symptoms persis doctor. Induce vomiting only, if affected person is fully conscious. Drink plenty of water and provide fresh air. Call for a doctor immediately. A person vomiting while laying on their back should be turned onto their side. No further relevant information available.	st, consult
After swallowing: 4.2 Most important and effects, both ac delayed 4.3 Indication of an medical attention at treatment needed	symptoms cute and y immediate nd special	If skin irritation continues, consult a doctor. Rinse opened eye for several minutes under running water. If symptoms persis doctor. Induce vomiting only, if affected person is fully conscious. Drink plenty of water and provide fresh air. Call for a doctor immediately. A person vomiting while laying on their back should be turned onto their side. No further relevant information available. No further relevant information available.	st, consult
After swallowing: 4.2 Most important and effects, both ac delayed 4.3 Indication of an medical attention at treatment needed SECTION 5: Firefi	symptoms cute and y immediate nd special ghting measu	If skin irritation continues, consult a doctor. Rinse opened eye for several minutes under running water. If symptoms persis doctor. Induce vomiting only, if affected person is fully conscious. Drink plenty of water and provide fresh air. Call for a doctor immediately. A person vomiting while laying on their back should be turned onto their side. No further relevant information available. No further relevant information available.	st, consult
After swallowing: 4.2 Most important and effects, both ac delayed 4.3 Indication of an medical attention at treatment needed	symptoms cute and y immediate nd special ighting measu nedia g agents:	If skin irritation continues, consult a doctor. Rinse opened eye for several minutes under running water. If symptoms persis doctor. Induce vomiting only, if affected person is fully conscious. Drink plenty of water and provide fresh air. Call for a doctor immediately. A person vomiting while laying on their back should be turned onto their side. No further relevant information available. No further relevant information available. Ures CO2, powder or water spray. Fight larger fires with water spray or alcohol resis	
After swallowing: 4.2 Most important and effects, both ac delayed 4.3 Indication of any medical attention at treatment needed SECTION 5: Firefi 5.1 Extinguishing m Suitable extinguishing For safety reasons un extinguishing agents:	symptoms cute and y immediate nd special gating measu gagents: nsuitable	If skin irritation continues, consult a doctor. Rinse opened eye for several minutes under running water. If symptoms persis doctor. Induce vomiting only, if affected person is fully conscious. Drink plenty of water and provide fresh air. Call for a doctor immediately. A person vomiting while laying on their back should be turned onto their side. No further relevant information available. No further relevant information available.	
After swallowing: 4.2 Most important and effects, both ac delayed 4.3 Indication of any medical attention and treatment needed SECTION 5: Firefi 5.1 Extinguishing m Suitable extinguishing For safety reasons un extinguishing agents: 5.2 Special hazards the substance or m	symptoms cute and y immediate nd special gagents: nsuitable arising from ixture	If skin irritation continues, consult a doctor. Rinse opened eye for several minutes under running water. If symptoms persis doctor. Induce vomiting only, if affected person is fully conscious. Drink plenty of water and provide fresh air. Call for a doctor immediately. A person vomiting while laying on their back should be turned onto their side. No further relevant information available. No further relevant information available. Ures CO2, powder or water spray. Fight larger fires with water spray or alcohol resis Use fire extinguishing methods suitable to surrounding conditions.	
After swallowing: 4.2 Most important and effects, both ac delayed 4.3 Indication of any medical attention at treatment needed SECTION 5: Firefi 5.1 Extinguishing m Suitable extinguishing For safety reasons un extinguishing agents: 5.2 Special hazards	symptoms cute and y immediate nd special ighting measu ighting measu aggents: aggents: suitable arising from ixture ghters	If skin irritation continues, consult a doctor. Rinse opened eye for several minutes under running water. If symptoms persis doctor. Induce vomiting only, if affected person is fully conscious. Drink plenty of water and provide fresh air. Call for a doctor immediately. A person vomiting while laying on their back should be turned onto their side. No further relevant information available. No further relevant information available. Ures CO2, powder or water spray. Fight larger fires with water spray or alcohol resis Use fire extinguishing methods suitable to surrounding conditions. Full jet water	

protective equipment and emergency procedures

Ensure adequate ventilation Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2022 Version number 2202 (replaces version 2201) Revision: 20.07.2022 Trade name: FW - PRINT FLUID (Water-Wash / Beige Opak - Grey - White) (Contd. of page 2) . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. Keep contaminated washing water and dispose of appropriately. 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** . 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Ensure that suitable extractors are available on processing machines . Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. 7.2 Conditions for safe storage, including any incompatibilities . Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Information about storage in one Do not store together with alkalis (caustic solutions). common storage facility: Store away from oxidising agents. Store away from reducing agents. . Further information about storage conditions: Store receptacle in a well ventilated area. Store in a cool place. Protect from heat and direct sunlight. . 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** . 8.1 Control parameters . Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant guantities of materials with critical values that have to be monitored at the workplace. . Additional information: The lists valid during the making were used as basis. . 8.2 Exposure controls . Appropriate engineering controls No further data; see item 7. . Individual protection measures, such as personal protective equipment General protective and hygienic Wash hands before breaks and at the end of work. measures: Do not eat, drink, smoke or sniff while working. Do not inhale gases / fumes / aerosols. . Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. The glove material has to be impermeable and resistant to the product/ the substance/ the . Hand protection preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation . Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. . Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Tightly sealed goggles . Eye/face protection Face protection . Body protection: Protective work clothing Solvent resistant protective clothing **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties **General Information** Physical state Solid Colour: Whitish Odour: Characteristic Odour threshold: Not determined.

– GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Version number 2202 (replaces version 2201)

Revision: 20.07.2022

Trade name: FW - PRINT FLUID (Water-Wash / Beige Opak - Grey - White)

	(Contd. of page
. Boiling point or initial boiling point and boiling range	> 145 °C
. Flammability	Not determined.
. Flash point:	Not applicable.
. Decomposition temperature:	Not determined.
. pH at 20 °C	7.7
. Viscosity:	
. Kinematic viscosity	Not applicable.
. Dynamic at 20 °C:	250 – 350 mPas
. Solubility	250 – 550 mi as
. water:	Soluble.
. Partition coefficient n-octanol/water (log value)	Not determined.
. Vapour pressure:	Not determined.
	Not applicable.
. Density and/or relative density	
. Density at 20 °C:	1.08 g/cm ³
. Relative density	Not determined.
. Vapour density	Not applicable.
. 9.2 Other information	
. Appearance:	
. Form:	Liquid
. Important information on protection of health and environment	nt,
and on safety.	
. Auto-ignition temperature:	Product is not selfigniting.
. Explosive properties:	Not determined.
. Change in condition	
. Evaporation rate	Not applicable.
. Information with regard to physical hazard classes	
. Explosives	Void
. Flammable gases	Void
. Aerosols	Void
. Oxidising gases	Void
. Gases under pressure	Void
. Flammable liquids	Void
. Flammable solids	Void
. Self-reactive substances and mixtures	Void
. Pyrophoric liquids	Void
. Pyrophoric solids	Void
. Self-heating substances and mixtures	Void
. Substances and mixtures, which emit flammable gases in	
contact with water	Void
. Oxidising liquids	Void
. Oxidising solids	Void
. Organic peroxides	Void
. Corrosive to metals	Void
	Void
. Desensitised explosives	νοια

SECTION 10: Stability and reactivity			
. 10.1 Reactivity	No further relevant information available.		
10.2 Chemical stability			
. Thermal decomposition / conditions			
to be avoided:	No decomposition if used and stored according to specifications.		
. 10.3 Possibility of hazardous			
reactions	No dangerous reactions known.		
. 10.4 Conditions to avoid	No further relevant information available.		
. 10.5 Incompatible materials:	No further relevant information available.		
10.6 Hazardous decomposition			
products:	Carbon monoxide and carbon dioxide		
SECTION 11: Toxicological information			
. 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008			
. Acute toxicity	Harmful if swallowed or in contact with skin.		
. LD/LC50 values relevant for classific	cation:		

Oral LD50 > 1,050 mg/kg (rat)

Dermal LD50 > 1,050 mg/kg (rat)

(Contd. on page 5)

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.07.2022

Printing date 20.07.2022 Version number 2202 (replaces version 2201) Trade name: FW - PRINT FLUID (Water-Wash / Beige Opak - Grey - White) CAS: 13048-33-4 hexamethylene diacrylate Oral LD50 > 5,000 mg/kg (rat) Dermal LD50 > 3,000 mg/kg (rab) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Irritation of eyes Augenreiz- und -ätzwirkung (rab) Respiratory or skin sensitisation May cause an allergic skin reaction. Sensitisation Sensibilisierung 11.2 Information on other hazards Endocrine disrupting properties None of the ingredients is listed. **SECTION 12: Ecological information** 12.1 Toxicity Aquatic toxicity: LC50 acute (96h) > 25 mg/l (danio rerio/ Zebrabärbling) EC50 (48h) > 300 mg/l (Ceriodaphnia dubia (Wasserfloh)) EC50 (72h) ≥ 200 mg/l (Lemna aequinoctialis - Wasserpflanzen) 12.2 Persistence and degradability Biodegradability % 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment Not applicable. . PBT: . vPvB: Not applicable.

12.6 Endocrine disrupting properties

12.7 Other adverse effects Additional ecological information:

. General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product does not contain substances with endocrine disrupting properties.

SECTION 13: Disposal consid	lerations	
. 13.1 Waste treatment methods		
. European waste catalogue		
HP4 Irritant - skin irritation and ey	<i>i</i> e damage	
HP14 Ecotoxic		
. Uncleaned packaging: . Recommendation: . Recommended cleansing agents:	Non contaminated packagings may be treated like household garbage. Water, if necessary together with cleansing agents.	
SECTION 14: Transport inform	nation	
. 14.1 UN number or ID number . ADR, ADN, IMDG, IATA	Void	
. 14.2 UN proper shipping name . ADR, ADN, IMDG, IATA	Void	
. 14.3 Transport hazard class(es)		
. ADR, ADN, IMDG, IATA . Class	Void	
. 14.4 Packing group . ADR, IMDG, IATA	Void	
. 14.5 Environmental hazards:	Not applicable.	
. 14.6 Special precautions for user	Not applicable.	
. 14.7 Maritime transport in bulk a instruments	ccording to IMO Not applicable.	
	(Contd. on	n page

Page 6/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Version number 2202 (replaces version 2201)

Revision: 20.07.2022

Trade name: FW - PRINT FLUID (Water-Wash / Beige Opak - Grey - White) (Contd. of page 5) UN "Model Regulation": Void . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Directive 2012/18/EU . Named dangerous substances -None of the ingredients is listed. ANNEX I 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. . Department issuing SDS: Environment protection department. ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration 50 percent . Abbreviations and acronyms: LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version altered. GB